

MATERIAL SAFETY DATA SHEET

Date Issued: 06/09/2009
 MSDS No: IS1009
 Date Revised: 06/09/2009
 Revision No: 1

TruTack™ Tray Adhesive Aerosol Spray

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: TruTack™ Tray Adhesive Aerosol Spray
PRODUCT DESCRIPTION: Aerosol Spray Tray Adhesive
PRODUCT CODE: OT-7413
CHEMICAL FAMILY: Isopropanol
GENERIC NAME: Aerosol Adhesive Spray

MANUFACTURER

Ortho Technology, Inc.
 17401 Commerce Park Boulevard
 Tampa FL 33647
Product Stewardship: 1-800-999-3161

24 HR. EMERGENCY TELEPHONE NUMBERS

For Chemical Emergency
 Spill Leak or Fire Exposure or Accident
 Call CHEMTREC Day or Night
 Domestic North America 1-800-424-9300
 International, Call +1 703-527-3887 (collect calls
 accepted)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Aerosol spray

POTENTIAL HEALTH EFFECTS

EYES: Severely irritating to the eyes.

SKIN: Skin irritation

INHALATION: Inhalation may cause dizziness, nausea, and respiratory irritation

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE TOXICITY: Chronic overexposure may cause liver, kidney, or brain damage

MEDICAL CONDITIONS AGGRAVATED: Not determined

ROUTES OF ENTRY: Eye, Skin contact, Inhalation

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS
Isopropanol	67-63-0
Toluene	108-88-3

4. FIRST AID MEASURES

EYES: Flush eye with copious amounts of water. Call a physician.

SKIN: Wash with soap and water for at least 15 minutes. remove any contaminated clothing.

MATERIAL SAFETY DATA SHEET

Date Issued: 06/09/2009
MSDS No: IS1009
Date Revised: 06/09/2009
Revision No: 1

TruTack™ Tray Adhesive Aerosol Spray

INGESTION: Do not induce vomiting. Give large quantities of water. Call a physician.

INHALATION: Move to fresh air. If breathing is labored, administer oxygen.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Not Determined

FLAMMABLE LIMITS: Not Determined

EXTINGUISHING MEDIA: CO2 or Dry chemical

EXPLOSION HAZARDS: Heating may cause pressure build up and possible rupture of the container.

FIRE FIGHTING PROCEDURES: Fight advanced fires from a protected location. Use water spray to cool containers exposed to fire

HAZARDOUS DECOMPOSITION PRODUCTS: Not determined

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove ignition sources. Add vermiculite or clay to absorb spill. Use recommended protective and explosion proof equipment.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Do not store or handle the product in presence of heat, sparks, or open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields (or goggles) and a face shield.

SKIN: Protective gloves recommended

RESPIRATORY: Not determined

PROTECTIVE CLOTHING: Not determined

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Aerosol Spray

ODOR: Solvent odor

VAPOR PRESSURE: Not Determined

VAPOR DENSITY: Not determined

BOILING POINT: Not Determined

MELTING POINT: Not Determined

MATERIAL SAFETY DATA SHEET

Date Issued: 06/09/2009
MSDS No: IS1009
Date Revised: 06/09/2009
Revision No: 1

TruTack™ Tray Adhesive Aerosol Spray

FLASHPOINT AND METHOD: Not Determined

SOLUBILITY IN WATER: Appreciable

EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: (H₂O = 1): 0.87

10. STABILITY AND REACTIVITY

STABILITY: Stable.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Not determined

INCOMPATIBLE MATERIALS: Oxidizers

11. TOXICOLOGICAL INFORMATION

COMMENTS: No carcinogenicity or mutagenicity effects are known. Chronic overexposure may cause liver, kidney, or brain damage.

12. ECOLOGICAL INFORMATION

COMMENTS: None Reported.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Aerosols, flammable

PRIMARY HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN1950

NAERG: 126

LABEL: Flammable Gas

OTHER SHIPPING INFORMATION: Special Provisions : N82

AIR (ICAO/IATA)

SHIPPING NAME: Aerosols, flammable

UN/NA NUMBER: UN1950

MATERIAL SAFETY DATA SHEET

Date Issued: 06/09/2009
MSDS No: IS1009
Date Revised: 06/09/2009
Revision No: 1

TruTack™ Tray Adhesive Aerosol Spray

PRIMARY HAZARD CLASS/DIVISION: 2.1

ERG: 126

SPECIAL PROVISIONS: A145, A153

LABEL: Flammable Gas

COMMENTS: Not determined

15. REGULATORY INFORMATION

COMMENTS None Reported

16. OTHER INFORMATION

REASON FOR ISSUE: New MSDS Format

APPROVED BY: J. Hutchins **TITLE:** QA/RA Director

PREPARED BY: T. Swan

INFORMATION CONTACT: 1-800-999-3161

REVISION SUMMARY: Revision #: 1. This MSDS replaces the May 21, 2008 MSDS., , , Any changes in information are as follows: In Section 1: Approved by, Title, Prepared By, Date Prepared, 24 Hour Emergency Phone NumbersIn Section 2: Signs & Symptoms - Eyes, Signs & Symptoms - Inhalation, Signs & Symptoms - SkinIn Section 12: CommentsIn Section 14: DOT Proper Shipping Name, DOT Primary Hazard Class/Division, DOT UN/NA Number, Placards, Labels, Other DOT Shipping Information, DOT Emergency Response Guide, AIR Proper Shipping Name, AIR Label, AIR Primary Hazard Class/Division, AIR UN/NA Number, IATAERG Not Found, IATASP Not FoundIn Section 15: Comments

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.