

# MATERIAL SAFETY DATA SHEET

Date Issued: 05/12/2014  
 MSDS No: IS1013  
 Date Revised: 05/13/2014  
 Revision No: 2

## EXAFAST™ NDS Fast Setting PVS Impression Material Base

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** EXAFAST™ NDS Fast Setting PVS Impression Material Base  
**PRODUCT DESCRIPTION:** Fast Setting PVS Impression Material- Base  
**PRODUCT CODE:** 137007; 137107; 137207; 137407  
**PRODUCT FORMULATION NAME:** EXAFAST™ NDS Regular Wash; Injection Wash; Heavy Body; Monophase

#### MANUFACTURER

GC America, Inc.  
 3737 West 127th Street  
 Alsip, IL 60803  
**Product Stewardship:** 1-800-323-7063

#### DISTRIBUTOR

Ortho Technology , Inc  
 17401 Commerce Park Boulevard  
 Tampa, FL 33647  
**E-Mail:** ljohnson@orthotechnology.com

### 2. HAZARDS IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

**EYES:** May cause irritation and burning.

**INHALATION:** May cause irritation

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**ACUTE TOXICITY:** Headaches

**MEDICAL CONDITIONS AGGRAVATED:** Not Established

**ROUTES OF ENTRY:** Inhalation, ingestion.

**HEALTH HAZARDS:** (Acute and Chronic): Breathing vapor generated from this product may be irritating to the eyes, nose and throat.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS
Silica, Amorphous	112926-00-8
Vinyl Dimethyl Poly Dimethyl Siloxane	68083-19-2
Dimethyl methyl hydrogen polysiloxane	68037-59-2

### 4. FIRST AID MEASURES

**EYES:** Flush with copious amounts of water.

**SKIN:** Wash thoroughly with soap and water

**INGESTION:** Do not induce vomiting - give large volumes of water. Seek medical attention.

**INHALATION:** Remove person to fresh air if irritation develops.

### 5. FIRE FIGHTING MEASURES

**FLASHPOINT AND METHOD:** Not flammable per ASTM D92

**FLAMMABLE LIMITS:** Not applicable

**EXTINGUISHING MEDIA:** Dry Chemical, Carbon Dioxide, Alcohol Foam

# MATERIAL SAFETY DATA SHEET

Date Issued: 05/12/2014

MSDS No: IS1013

Date Revised: 05/13/2014

Revision No: 2

## EXAFAST™ NDS Fast Setting PVS Impression Material Base

**FIRE FIGHTING PROCEDURES:** Water is not effective medium. Firefighters should wear self contained breathing apparatus and full protective clothing.

**FIRE EXPLOSION:** Irritating and/or toxic aerosols or gases may be present.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon Dioxide, Carbon Monoxide, Sulfur Hydrogen Sulfide

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Absorb with inert material; transfer to container for disposal.

### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Store at normal room temperature in a well ventilated area.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Ventilation: Local exhaust strongly recommended.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Safety glasses or splash goggles

**SKIN:** Synthetic/Vinyl Gloves

**RESPIRATORY:** Not Applicable

**PROTECTIVE CLOTHING:** Not Established

**WORK HYGIENIC PRACTICES:** Not Established

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Odorless

**APPEARANCE:** Yellow paste/putty

**VAPOR PRESSURE:** 100/50C

**VAPOR DENSITY:** 2.56

**BOILING POINT:** 160C

**MELTING POINT:** Not Established

**SOLUBILITY IN WATER:** Insoluble, Flux alone (inside the Pellets) is water soluble

**EVAPORATION RATE:** Not Established

**SPECIFIC GRAVITY:** (H<sub>2</sub>O=1) 1.35g/cm<sup>3</sup>

### 10. STABILITY AND REACTIVITY

**CONDITIONS TO AVOID:** High temperatures (greater than 121C); open flames.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Not established

**INCOMPATIBLE MATERIALS:** Strong acids, bases, oxidizers.

### 11. TOXICOLOGICAL INFORMATION

#### CARCINOGENICITY

**IARC:** Yes (as silica dust)

# MATERIAL SAFETY DATA SHEET

Date Issued: 05/12/2014  
 MSDS No: IS1013  
 Date Revised: 05/13/2014  
 Revision No: 2

## EXAFAST™ NDS Fast Setting PVS Impression Material Base

**SENSITIZATION:** None

**TERATOGENIC EFFECTS:** None

**MUTAGENICITY:** None

### 12. ECOLOGICAL INFORMATION

**COMMENTS:** Not Available

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Landfill per local and Federal Regulations

### 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**OTHER SHIPPING INFORMATION:** Not Established

### 15. REGULATORY INFORMATION

**EUROPEAN COMMUNITY**

**EEC LABEL SYMBOL AND CLASSIFICATION**



"Xi" - Irritant

**GENERAL COMMENTS:** Not Known

### 16. OTHER INFORMATION

**REASON FOR ISSUE:** New MSDS Format


**APPROVED BY:** Jodi Hutchins    **TITLE:** Director of Regulatory & Quality Affairs

**PREPARED BY:** Louis Johnson

**INFORMATION CONTACT:** 1-800-999-3161

**REVISION SUMMARY:** This MSDS replaces the 05/13/2014 MSDS.

#### NFPA CODES



**MANUFACTURER DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot

# MATERIAL SAFETY DATA SHEET

**Date Issued: 05/12/2014**

**MSDS No: IS1013**

**Date Revised: 05/13/2014**

**Revision No: 2**

## **EXAFAST™ NDS Fast Setting PVS Impression Material Base**

---

guarantee that these are the only hazards that exist.